

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2804	709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/29 15:57
L2	31	709/218.ccls. and ((generat\$4 or creat \$4 or provid\$4 or supply\$4) adj (user adj (identity or profile or ID)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/29 16:06
L3	2230	726/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 16:12
L4	8	authentication and (temporary same user id) and (generate with password) and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/29 16:18
L5	13	709/218.ccls. and ((generat\$4 or creat \$4) near3 (password or key or code)) same (user and server same HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/04/29 16:25
L6	18	password and http with digest with AKA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/29 16:27
S3	1	HTTP Digest Authentication Using AKA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:35
S9	32	(password and user and server and request and http). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:47

S10	693	(password and generate).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:50
S11	1	(password and generate and http). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:51
S12	3632	password same generate same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:51
S13	33	password same generate same user and 709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:52
S14	6	password near4 generate same user and 709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:52
S16	4934	password with (generate or create)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:54
S18	1577	password with (generate or create) and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:54
S19	16	password with (generate or create) and http with digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/11/29 14:54
S20	1548	password and http and digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 16:48
S24	5	http digest challenge same password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:12

S26	3	http digest challenge with password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:14
S27	6	http digest challenge and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:14
S28	8	http digest challenge and identi\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:15
S29	8	http digest challenge and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:15
S30	117	http digest and user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:15
S31	2323	709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:16
S32	0	709/218.ccls. and http digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:17
S34	0	709/218.ccls. and http near digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:17
S35	147	709/218.ccls. and end\$1user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:17
S36	1361	709/218.ccls. and generate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:20

S37	530	709/218.ccls. and authentica\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:41
S38	217	709/218.ccls. and authentica\$5 and hypertext	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:41
S40	9	709/218.ccls. and authentica\$5 same hypertext	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:43
S41	2	709/218.ccls. and UE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:44
S42	26	authentica\$5 and HTTP near challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/04 17:45
S44	3	niemi.in. and http	DERWENT	OR	OFF	2007/12/05 10:04
S49	217341	http digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 12:01
S50	127	http digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 12:01
S51	1423	generate key and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 15:10
S52	417	generate key and http protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 15:10

S53	7	generate key and http protocol and aka	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 15:19
S55	554	http protocol and authentication key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 15:22
S56	25	generate password same http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 15:41
S58	12	generate password same user device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/05 17:31
S63	0	md5 and generate password and temporary id and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:01
S64	1	generate password and temporary id and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:01
S66	2	generate password and temporary id	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:02
S67	225	authentication and temporary id	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:02
S68	10	authentication and temporary id and md5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:03
S69	164	authentication and temporary id and generate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:05

S72	1457	authentication and temporary and user id and generate and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:31
S73	1440	authentication and temporary and user id and generate and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:31
S74	77	authentication and temporary same user id and generate and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:31
S75	64	authentication and temporary same user id and generate and http and request and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:35
S76	6	authentication and temporary same user id and generate with password and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:38
S77	6	authentication and (temporary same user id) and (generate with password) and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:39
S78	7	authentication and temporary same user id and generate with password and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/12/06 10:40
S82	341	(generat\$4 or creat \$4) same (password or key or code) same user and remote adj server same HTTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 08:55
S84	200	(generat\$4 or creat \$4) with (password or key or code) same user and remote adj server same HTTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:03

S85	3	(generat\$4 or creat \$4) with (password or key or code) same user and remote adj server same HTTP digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:05
S86	2	(generat\$4 or creat \$4) with (password or key or code) same user and remote adj server same digest near3 authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:05
S87	2	(generat\$4 or creat \$4) with (password or key or code) same user and remote near server same digest near3 authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:06
S88	111	(generat\$4 or creat \$4) with (password or key or code) same user and server same digest near3 authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:06
S89	4	generate near3 password same user same remote adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:13
S90	256	generate near3 password same user same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:14
S91	879	generat\$4 near3 password same user same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:14
S92	0	generat\$4 near3 password same user same server same digest adj authenticat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:15
S93	0	generat\$4 near3 password same user same server same (digest adj authenticat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:17

S94	0	generat\$4 near3 password same user same server same (digest near2 authicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 10:17
S102	19	((generat\$4 or creat \$4) with (password or key or code) same user and server same HTTP and temporary identi \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:27
S103	19	((generat\$4 or creat \$4) with (password or key or code)) same user and server same HTTP and temporary identi \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:28
S104	2	((generat\$4 or creat \$4) with (password or key or code)) same (user and server same HTTP and temporary identi \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:29
S105	827	((generat\$4 or creat \$4) with (password or key or code)) same (user and server same HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:29
S106	441	((generat\$4 or creat \$4) near3 (password or key or code)) same (user and server same HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:31
S107	362	((generat\$4 or creat \$4) near2 (password or key or code)) same (user and server same HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:31
S108	57	((generat\$4 or creat \$4) adj (password or key or code)) same (user and server same HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:32
S112	1284	((generat\$4 or creat \$4) adj (password or key or code)) and (client and server with HTTP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:35



S113	1284	((generat\$4 or creat\$4) adj (password or key or code)) and (client and (server with HTTP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:36
S114	62	((generat\$4 or creat\$4) adj (password or key or code)) same (client and (server with HTTP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 12:36
S116	382	authentikat\$5 adj node	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 14:18
S117	33	authentikat\$5 adj node with (redirect \$3 or transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2007/12/14 14:19
S119	287	726/10.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 10:41
S120	317	726/29.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/27 10:47
S122	1849	726/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 14:41
S123	23	"713".clas. and HTTP near4 challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 16:28
S125	740878	(generat\$5 or creat\$4 (password or key)) and ((end near3 user) or user or device) and (request same remote adj server or network or server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/08/27 12:42

S126	390	(generat\$4 or creat \$4) same (password or key or code) same user and remote adj server same HTTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2008/08/27 14:16
S127	2565	709/218.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:16
S128	0	709/218.ccls. and http digest	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:17
S129	1	709/218.ccls. and http challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:17
S130	155	726/10.ccls. and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:18
S131	128615	726/10.ccls. and http challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/28 14:18
S132	1	726/10.ccls. and http challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/08/28 14:18
S133	10	726/10.ccls. and http challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2008/08/28 14:18
S134	75	*726*.clas. and http challenge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	OFF	2008/08/28 14:24
S135	12	*726*.clas. and authentication and temporary same user id and generate and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:24

S136	1	"726/10".cls. and authentication and temporary same user id and generate and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:24
S137	0	709/218.cls. and authentication and temporary same user id and generate and http and request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2008/08/28 14:25
S138	2741	709/218.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/02/25 09:04
S139	13	709/218.cls. and (temporary near2 (id or identity or identification or password of key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/02/25 12:33
S140	2127	726/4.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/25 13:05
S142	168	generate near3 password same user same server and "726".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/02/25 13:18
S143	39	"726".clas. and (generat\$4 or creat \$4) same (password or key or code) same user and remote adj server same HTTP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	OFF	2009/02/25 13:20
S144	1	"726".clas. and authentication and temporary same user id and generate with password and http	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/02/25 13:20
S145	71	((generat\$4 or creat \$4) near2 (identity or profile or ID)) with (remote near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 09:47

S146	212	((generat\$4 or creat \$4) near2 (identity or profile or ID)) same (remote near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 10:30
S147	23	((generat\$4 or creat \$4) near2 (identity or profile or ID)) same (remote near2 server) same (password or challenge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 10:31
S148	25	((generat\$4 or creat \$4 or provid\$4 or supply\$4) near2 (identity or profile or ID)) same (remote near2 server) same (password or challenge)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 11:34
S149	28	((generat\$4 or creat \$4 or provid\$4 or supply\$4) near2 (identity or profile or ID)) near2 (remote near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 11:50
S152	3636	((generat\$4 or creat \$4 or provid\$4 or supply\$4) adj (user adj (identity or profile or ID)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 14:18
S153	507	((((generat\$4 or creat \$4 or provid\$4 or supply\$4) adj (user adj (identity or profile or ID))) with server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 14:20
S154	150	((((generat\$4 or creat \$4 or provid\$4 or supply\$4) adj (user adj (identity or profile or ID))) near2 server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2009/04/27 14:21

4/ 29/ 2009 4:30:14 PM

C:\Documents and Settings\ebenoit\My Documents\EAST\Workspaces\10595016.wsp